


TNT Maritime Interdiction Operation Experiments: Enabling Radiation Awareness and Geographically Distributed Collaboration for Network-Centric MIO

Dr. Alex Bordetsky
Naval Postgraduate School

Dr. Arden Dougan
Lawrence Livermore National Laboratory


Dr. Foo Yu Chiann
DSTA, Singapore

CDR Andres Kihlberg
Swedish Naval Warfare Center




Objectives

- Evaluate the use of networks, advanced sensors, and collaborative technology for rapid Maritime Interdiction Operations (MIO); specifically, the ability for a Boarding Party to rapidly set-up ship-to-ship communications that permit them to search for radiation and explosive sources while maintaining network connectivity with C2 organizations, and collaborating with remotely located sensor experts.
- Extend the set of participating organizations to coalition partners (currently includes international teams in Sweden, Singapore and Austria) and first responders (currently includes San Francisco, Oakland Police, and Alameda County Marine Units)
- Provide the recommendations for transforming advanced networking and collaborative technology capabilities into new operational procedures for emerging network-centric MIOs




TNT MIO Testbed: System of Networks and Collaborative Technology for Supporting Globally Distributed MIOs



Plug-and-Play Sensor-Unmanned Vehicle-Decision Maker Networking Testbed with Global Reachback

- Plug-and-play wide area adaptive network with global reach back capabilities and rapidly deployable self-forming wireless clusters (including student network operation services 24/7)
- Local networking clusters: ship-to-shore, ship-to-ship, ship-UAV-ship, ship-USV-ship, ship-AUV, sensor mesh mobile networks
- Operational focus: Boarding Parties support, MIO connectivity and collaboration for radiation awareness, biometrics identification, non-proliferation machinery parts search, and explosive materials detection on the board of the target vessel during the boarding party search phase
- Testbed backbone: NPS (Monterey), USCG (Coast Guard and Yerba Buena Island in SF Bay Area, Camp Roberts (Central California),
 - New sites: Golden Gate Bridge, Mt. Diablo, Sacramento River delta
- Global VPN reach back :
 - East Coast (BFC, DTRA)
 - Sweden (Navy site in Southern Sweden),
 - Austria (GATE site in Bavarian Alps-Salzburg Research)
 - Singapore (DSTA), and

Example Scenario and Global Partners





NPS-LLNL MIO Cooperation Partners

NPS Team

Networks: ship-to-ship, ship-to-shore
Collaborative Technology
Operations & Command Center
VPN reachback
Unmanned vehicles
Biometrics

LLNL Team

HOPS
Export Control
Radiation Reachback
Plume Modeling
Radiation Sources
Radiation Detection
Ultra-wide band Communication
Explosives Detection

Participating DoD and U.S. Gov't.:

- USSOCOM
- OSD/HD
- Biometric Fusion Center
- NIST
- MARAD
- USCG/D-11
- US Marine Corps
- DOE Radiological Assistance Program
- OFT
- DTRA

Foreign Partners:

National University of Singapore/DSTA
Swedish National Defense College/Swedish Naval Warfare Center
Salzburg Research
University of Bundeswehr at Munich

State and Local Government

Alameda County Sheriff
Oakland Police Dept.
San Francisco Police Dept.
California Office of Emergency Services



Field Experimentation Cooperative Tactical Network Topology Testbed

NPS CIRPAS UAVs
and Manned Aircraft



Local Access Ft.
Ord MOUT



MIO Extension

U.S. Army
SATCOMSTA



MOA with Ft.
Hunter Liggett,
USAR (1-07)



MOA with
Camp Roberts
ANG



802.16

~100 mi

VPN/GIG



NPS CENETIX

NPS Beach
Lab



ITT Mesh


NPS
Experimentation
East
Dahlgren/Norfolk
2-07

NPS/CIRPAS McMillan
Field UAV Flight Facility

Unlimited Use of Restricted
Air Space




Monterey Bay,
Pacific Ocean




In Progress




TNT MIO Testbed: Self-Forming Broad Band Wireless Backbone





Tuesday, March 27, 2007


Network Diagram: MIO



Networking Solutions for Rapid Radiations Detection and Biometrics Identification

VPN Reachback and Mesh Networking with Biometrics

Device



Broadband Ship-to-Shore/Ship-to-Ship Adaptive Networking : SAOFDM Solution



**SAOFDM Network operated completely of the SA screens w/o
experts support on board vessels**

TNT 07-2



Data input at TOC



Examples of Fast ID on water



Day 1: Data captured on target vessel



Day 2: Day 2 ID

Total response time from beginning to enter thumb prints
on suspect to receipt of ID:


~5 sec if “bad guy”

~35 sec if “other”

At Camp Roberts Checkpoint:

Without ABIS, Local FAST ID 1-2.5 min

With ABIS and Full Encounter, TOC Data Base 2-4 min



Background MIO Studies: Rapidly Deployable Self-Forming Network for Maritime Interdiction Operations



Field Experimentation Program (Dr. Dave Netzer in Lead)

Large Interdisciplinary NPS Team

NPS: - FY06: 28 Thesis Students
 32 Faculty

 Includes 21 PhD, 4 PhD Students

 - Course Projects: IS, OR, DA

10 Departments and Institutes

Affiliated Programs

DARPA HURT ACTD
DARPA MAV ACTD
USSOCOM Global Reach ACTD
AFRL JASMAD
MCWL Distributed Operations
OSD/OFT Stiletto
OSD/HD MDA

Participating Universities

Virginia Tech
University of Florida
Case
MIIS

Broad DoD and Gov't. Participation and Support

- USSOCOM
- USASOC
- AFSOC
- NAVSPECWARCOM
- JSOC

Participating DoD and U.S. Gov't.:

AFRL	BFC
DARPA	DTRA
LLNL	MARAD
NSA NTIO	NRL
ONR	ONR 113
SPAWAR	USCG
USN/VC-6	OSD/OFT
NASA/ARC	STL
USASMDC	JHU APL

Industrial Support

WinTec
Inter-4
Redline Communications
Flarion
Northrop Grumman
Lockheed Martin
ITT
AeroVironments
Space Data Corporation
Brandes Associates, Inc
Chang Industries
L-3 Communications
AGI
Mitre
Mission Technologies

State and Local Government

Alameda County Sheriff
Oakland Police Dept.
San Francisco Police Dept.



Field Experimentation Research Areas



CENETIX

**OSD/OFT
WolfPAC – Stiletto
Experiments**

**OSD/OFT
HA/DR Project**

**NJ Health
Emergency Medical
Response Network**

**OSD/HD
NPS Maritime Security
Program**

USMC Field Experiments

SOCOM - NPS Field Experimentation Cooperative

- Agile, Adaptive Tactical Networks with Long-Haul Reach-back; Ground, Airborne, Ship, Underwater
- Collaboration Technologies
- Integration with GIG-EF via DREN (CONUS), GIG-BE (theater locations, satellite links), and Abilene (Internet 2 backbone) (overseas clusters)
- Shared Situational Awareness
- Unmanned/Autonomous Vehicles
- Network Controlled UASs
- Networked Sensors
- Dual-use Technologies for Post-Conflict Reconstruction, Stabilization, HA/DR

Sites:

- **Camp Roberts**
- **Ft. Hunter Liggett**
- **Monterey Bay**
- **San Francisco Bay**
- **Avon Park, FL**
- **etc**


- IED Detection and Jamming
- Smart Antennae
- Precision Tracking and Targeting
- Network Vulnerability Assessment
- Red Team Intent
- Human Systems Integration (Warfighters as Users and Evaluators)
- CONOPS
- Individual Identity Friend or Foe
- NGO-Warfighter Combined Operations

- Modeling and Simulation
- Biometrics
- Airspace Management/Deconfliction
- Data analysis and mining
- Image Enhancement, Mosaics, Stitching



TNT 05-1, Nov 2004

MESH Topology



TNT 05-2 Feb 05

Improved Camp Roberts TOC



VC-6 with TERN UAVs



Cypress Sea Approaching USCGC HAWKSBILL - Radiation Detection



Surrogate Light Reconnaissance Vehicle



TERN Network Payload

Balloon Payload



NA Sea Nodes TNT 05-2 Feb 05

Cypress Sea Support Boat



Cypress Sea NOC




Pelican 802.16/ OFDM Payload



ARIES AUV



SA for Cypress Sea, Pelican, Pelican Video



Resolution Target for EO Performance Prediction




NAVBOARD



TNT 05-2 Feb 05

Above and Below Water Situational Awareness for Combat Diver

NPS NOC




802.16/OFDM VoIP

Surrogate UAV



NA enables seamless SA

Shore Image



802.11b or Mesh

ARIES AUV



Cypress Sea with SA



Mine Location and Image

NAVBOARD






Background: Prior NPS-LLNL experiments focused sending data and video in real time within a boarded ship to external networks




Feb 05 TNT: 802.11B affected by radar




May, August 05 TNT UWB comms demonstrated within Cutter



Suisun Bay: UWB able to transmit between holds of a container ship with holds closed!



UWB on board USCGC Munro (multi-deck, no radar)



Collected system performance data on operational ship (Point Sur) UWB WORKED in difficult high multipath environment




Polar Star – Planned experiment w/ USCG R&D Center






Ship-to-Ship

Ad-Hoc Mesh



Target Ship Enters Monterey Bay; Collaboration with TACSAT for Ship ID





MIO Networking Accomplishments

TNT 06-1 MIO Network Topology: Forming the Boarding Party network to the target ship



Stretching OFDM Man-Pack Boarding Party Network to Target Ship (15min)



Sending Target Crew Biometrics via Boarding Party Wireless Mesh network to the BFC (4 min)



Stretching the UWB link below the deck to the Radiation Detection officers





Sharing UWB Video with DTRA via Groove



TNT 06-1 - Pictures - Groove


File Edit View Options Help Workspaces

Pictures

Add Pictures... Show Picture List Picture 1 of 10

LLNL_uwb_video

UWB Live Video



Workspace Members

- In Workspace**
 - Alex Bordetsky/Naval Postgraduate School
- Online**
- Offline**
 - Alan Viars
 - Arden Dougan
 - Boarding Officer Alameda/Naval Postgraduate School
 - Christine Paulson (LLNL UWB)
 - DoD BFC node/Naval Postgraduate School
 - DTRA/Naval Postgraduate School
 - Henrik Friman

Invite to Workspace: More

Chat

Christine Paulson (LLNL UWB): 11/22/05 12:13 PM
BO: response to the radiation detection analysts: if there is Cs137 in the identifier, do we need to take a longer count to determine the source?

Boarding Officer Alameda/Naval Postgraduate School: 11/22/05 12:15 PM
rg: ALL Arden response is in the Discussion

DTRA/Naval Postgraduate School: 11/22/05 12:16 PM
Christine, DTRA still cannot read Station #2 File, but per BO comment above, file is specifically for LLNL

John Looney/Naval Postgraduate School: 11/22/05 12:17 PM
do you need me to pass info to i. like via phone

Type here: Go

Common Tasks

- Turn Off Tool's Unread Alerts
- Add Tools
- View Workspace Properties
- Invite My Other Computers


Files Discussion **Pictures** Text Web Links

start 12:55 AM

MIO Adaptive Ship-to-Ship and Ship-to-Shore Networking On-the-Move: First SAOFDM node




Adaptive Ship-to-Shore link with Boarding Vessel operational behind port structures in the Oakland Channel



Adding Unmanned Systems to MIO Network: Drive-by Search by Sea Fox USV



Video Feed on the Target Vessel Provided by Unmanned Surface Vessel



Adding Unmanned Systems to MIO Network: Drive-by Search by USV, UAV Relay to the Fast Boat, UGV in the Tunnel



USV provided radiation detection in small-boat drive-by with real-time expert reachback; network-controlled USV & UGV




MIO Testbed Operation Challenges: NOC Response

View of the tactical wireless
OFDM 802.16 link behavior

View of Performance and Fault
Management Monitors

NOC TO HILL



	Response Time	Packet Loss	Status	Since last change
UAV	606 ms	0 %	Node Up	10 minutes
2.168.101.185	284 ms	0 %	Node Up	13 minutes
2.72	125 ms	5 %	Node Up	7 minutes
92.168.199.2	354 ms	0 %	Node Up	14 minutes
.73	1 ms	0 %	Node Up	32 minutes
2.71	260 ms	0 %	Node Up	6 minutes
UAV	no response	100 %	Request Timed Out	1 hour, 29 minutes
2.74	no response	39 %	Request Timed Out	1 minute
	5 ms	0 %	Node Up	9 hours, 47 minut...
	1 ms	0 %	Node Up	2 hours, 15 minut...
18.99.121	4 ms	0 %	Node Up	2 hours, 15 minut...
2.168.99.33	4 ms	0 %	Node Up	2 hours, 15 minut...
IP: 192.168.102.1	1 ms	0 %	Node Up	2 hours, 15 minut...
192.168.99.38	3 ms	0 %	Node Up	2 days, 6 hours, ...
68.99.31	3 ms	0 %	Node Up	9 hours, 16 minut...
71	no response	100 %	Request Timed Out	31 hours, 45 min...
168.99.38	no response	100 %	Request Timed Out	3 hours, 4 minutes
192.168.99.37	no response	100 %	Request Timed Out	3 hours, 4 minutes
168.99.118	no response	100 %	Request Timed Out	2 days, 7 hours, ...
.74	no response	100 %	Request Timed Out	28 hours, 53 min...
.75	no response	100 %	Request Timed Out	28 hours, 37 min...
nt Laptop 192.168.99.183	0 ms	0 %	Node Up	1 hour, 13 minutes
2.73	no response	100 %	Request Timed Out	24 hours, 22 min...
92.168.101.198	no response	100 %	Request Timed Out	27 hours, 34 min...
1.72	no response	100 %	Request Timed Out	31 hours, 45 min...
	1 ms	0 %	Node Up	16 minutes

Raven 4
Fast Ethernet Controller (3C985C-TX Compatible) - Packet

Receive: 0 bps
Transmit: 0 bps

Min Bps: 0 bps at 04:45 PM
Max Bps: 493 Kbps at 04:51 PM
Current bps: 0 bps
Bandwidth: 100 Mbps

Raven 3
MS TCP Loopback interface


Receive: 0 bps
Transmit: 0 bps

Min Bps: 0 bps at 04:45 PM
Max Bps: 596 Kbps at 04:47 PM
Current bps: 0 bps
Bandwidth: 10 Mbps




NOC Adaptive Management Model: Facilitator/Coordinator Feedback Loop

Model of Tactical Network Operations Communication Coordinator




Network-aware nodes in UAV-based HVT operations: mapping SNMP data into the SA view




Adaptive Networking at the Situational Awareness Interface Level: Network-on-Target

- The NoT process starts at the level of Situational Awareness Interface used by the local or higher echelon commander, to point onto the Target, which in this case is the site to be reached by the self-configuring network
- In response the mobile networking node, i.e. small boat, light reconnaissance vehicle, or operator are moved to the area to extend the tactical mesh
- If the site is too far, or the preceding links are about to break down, the UAV is deployed to stretch the network further to the remote most node, or to heal the overstretched intermediate link



NoT at Work : Remote and Self-Alignment of Broadband Point-to-Point Antennas

- This in turn would require rapid and frequent re-alignment, of the antenna assets including panel switching and tune-up decisions made right at the level of local commander situational awareness view
- More so, the commander's remote advisers, located thousands miles away of surveillance and targeting area would be able to see the effects of the healing assets deployment in the Situational Awareness view and assist the commander in re-aligning and stretching the mobile network to the target area




NoT (SAOFDM Solution) at Work



SAOFDM_MIO.swf




Collaborative Technology



Geographically Distributed Collaborative C2 and Data Fusion Environment

Distributed team of
Experts and Command
Officers: Mobile
Command Post (C2 input),
DTRA (machinery
smuggling), LLNL
(radiation detection),
SOCOM (ops advice)





Boarding Party Self-Synchronization with TOC and DTRA in Groove




TNT 06-1 - Pictures - Groove

File Edit View Options Help Workspaces

Pictures

Add Pictures... Station3 Show Picture List Picture 8 of 10



Workspace Members

In Workspace

- Alex Bordetsky/Naval Postgraduate School

Online

Offline

- Alan Viars
- Arden Dougan
- Boarding Officer Alameda/Naval Postgraduate School
- Christine Paulson (LLNL UWB)
- DoD BFC node/Naval Postgraduate School
- DTRA/Naval Postgraduate School
- Henrik Friman

Invite to Workspace: Enter name or email: Go

Chat

Christine Paulson (LLNL UWB): 11/22/05 12:18 PM
BO: response to the radiation detection analysis: if there is Cs137 in the identifier, do we need to take a longer count to determine the source?

Boarding Officer Alameda/Naval Postgraduate School: 11/22/05 12:15 PM
up ALL Arden response is in the Discussion

DTRA/Naval Postgraduate School: 11/22/05 12:16 PM
Christine, DTRA still cannot read Station #2 File, but per BO comment above, file is specifically for LLNL

John Looney/Naval Postgraduate School: 11/22/05 12:17 PM
do you need me to pass info to i. Luke via rhone


Type here: Go

Common Tasks

- Mark Tool Read
- Turn Off Tool's Unread Alerts
- Add Tools
- View Workspace Properties

Files Discussion **Pictures** Text Web Links

start In... Report Micro... AAR... 2 G... EA 10:48 AM






TNT MIO 06-4 : Feasibility of using innovative self-aligning broad band wireless solutions to support boarding and target vessels on-the-move, boarding party real time collaboration with coalition partners and first responders

(August 30-September 1, 2006)

MIO 06-4 Collaborative Network





Participating Units



NPS

Class on Collaborative Technologies

Network Operations Center and Data Collection site via groove

Network Support team and Experiment Control (act as back up to make all necessary inject should network connectivity problems exclude certain players).

Swedish Team

Maritime Security Office of the Port of Oakland

observing and supporting experiment control by scenario injects made via groove, SA, and by video feed (with CDR Leif Hansson in Lead)

Austrian Team

Port of Hong Kong (where the containers were loaded)

observing and supporting experiment control by scenario injects made via Groove, SA, and by video feed (with Dr. Ulrich Hofmann in Lead, Ulrich Wagner as Technical POC)

Team in Singapore

Shipper of the cargo containers

observing and supporting experiment control by scenario injects made via Groove, SA, and by video feed (with Dr. Yu Chiann in Lead)

DHS Science & Technologies CounterMeasures Test Beds

Office of Emergency Services

Assists CalOES and DOE RAP



Participating Units



Alameda County Sheriff's Office Marine Patrol Unit Boat and RHIB— Boarding vessel, deploys boarding party and does drive by (carries IST detector)

Oakland Police Boat 35 the target vessel

OFT Stiletto Ship-remote early warning command post en route to San Diego area

USCG

District 11 Watch Officer

PAC Area Watch Officer

MSST Level Two capable boarding team with radiation detection equipment?



Participating Units



LLNL

Providing source, source security, and data files for detection teams (if necessary)

Providing remote analysis cell from Livermore via Groove

Provide mapping facility of bay showing critical facilities (HOPS), radiation detection reachback and atmospheric modeling reachback

LLNL Watch Officer – remote cell (operating from NPS)

2 members of Boarding Party (with radiation detectors)

BFC (Biometrics Fusion Center)


Providing data files for detection teams,

Providing remote support for exercise database search and results reporting via Groove collaborative software

SOCOM Observers



Remote Navy Asset: OFT Stiletto Ship in San Diego






Boarding Party Situational Understanding Development via Collaboration with Expert and Command Remote Sites

TNT-MIO District 11 - Pictures - Groove

File Edit View Options Help Workspaces

Pictures

Add Pictures... Show Picture List IMG_1211 Picture 7 of 11



Workspace Members

- Henrik Friman
- James Gateau/Naval Postgraduate School
- Jeff Withee/Naval Postgraduate School
- John Looney/Naval Postgraduate School
- Jonas Hedlund
- Leif Hansson
- LLNL Export Control
- LLNL Export Ctrl/Naval Postgraduate School
- LLNL Observer/Naval Postgraduate School
- LLNL Reachback 2/Naval Postgraduate School
- LLNL reachback/Naval Postgraduate School
- LLNL Watch Officer
- LLNL WO2/Naval Postgraduate School
- Mark Laherty/Naval Postgraduate School
- MIFC/Naval Postgraduate School
- Nita Miller/Naval Postgraduate School
- Pacific Area/Naval Postgraduate School
- Peter Guest/Naval Postgraduate School
- Randall Simmons/Naval Postgraduate School
- Russell Dash/Naval Postgraduate School
- SFPD MU/Naval Postgraduate School
- ShippingCompany
- Stiletto1/Naval Postgraduate School
- tnt06singapore1
- tnt06Singapore3

Invite to Workspace: More

Enter name or email Go


Chat


Common Tasks

- View By
- Suppress All Alerts
- Set Roles
- Send Message to Members

Files Disc... We... P. Sket... Cale... Mee... We... Pict... Tas...

Getting Drive-by Search Feedback from Sweden





Source Detection Feedback from Singapore

TNT-MIO District 11 - TNT 07-1 (01-Dec-06) - Groove

File Edit View Format Options Help Workspaces

TNT 07-1 (01-Dec-06)

New Topic Response

Date	Subject	Author
12/1/06 12:19 PM	Re: OAK PD Boat posted RAD files from SF tgt vessel drive-by	LLNL Reachback 3/Naval Postgraduate School
12/1/06 12:37 PM	Re: OAK PD Boat posted RAD files from SF tgt vessel drive-by	NGO User 1/Naval Postgraduate School
12/1/06 11:58 AM	Plume Model	LLNL WO
12/1/06 12:27 PM	Wind direction	Peter Guest/Naval Postgraduate School
12/1/06 12:38 PM	Re: Wind direction - plume	John Crandley
12/1/06 12:28 PM	Boarding Officer -status aboard Target Vessel	Boarding Officer_YBI/Naval Postgraduate School
12/1/06 12:31 PM	M/V Sheik of Oman arrives in Singapore	MIFC/Naval Postgraduate School
12/1/06 12:33 PM	Re: M/V Sheik of Oman arrives in Singapore	Singapore1
12/1/06 12:35 PM	Re: M/V Sheik of Oman arrives in Singapore	Singapore1
12/1/06 12:54 PM	Re: M/V Sheik of Oman arrives in Singapore	LLNL Reachback 3/Naval Postgraduate School
12/1/06 12:41 PM	Singapore Radar ranges	Peter Guest/Naval Postgraduate School
12/1/06 1:15 PM	chemicals found	LLNL WO2/Naval Postgraduate School
12/1/06 1:27 PM	Re: chemicals found	Arden Dougan
12/1/06 1:41 PM	FINEX	D-11 WO

Re: M/V Sheik of Oman arrives in Singapore

by Singapore1 on Dec 1, 2006 12:33:31 PM Modified on Dec 1, 2006 12:35:56 PM

Radiation detected!

Radiation data files posted in TNT 07-1 Singapore folder.

LLNL radiation reachback requested, please.

Note that singapore video feed is not operational.

Workspace Members

In Workspace

Online

Offline

214

ACM Unit 1/Naval Po...

ACME/Naval Postgra...

Alan Viars

Alex Bordetsky/Naval...

Anders Kihlberg

Arden Dougan

Invite to Workspace: More

Enter name or email- Go

Chat

Is he (Dave T) swimming home?

D-11 WO: 12/1/06 1:37 PM

any answer to my question about plutonium versus potassium for the fertilizer? (event #17)

Arden Dougan: 12/1/06 1:40 PM

see my answer in discussion

Type here- Go

Common Tasks

Mark Tool Read

Turn Off Tool's Unread Alerts

Add Tools

View Workspace Properties

Files TNT ... Task Manager Web Links Pictures Pictures TNT06-4 TNT07-1 (3... 1.47 KB



EWall Integration with Groove: Combining Biometrics Identification (NBFC row), Radiation Detection (LLNL row) and Groove events at the distributed locations (Alerts row)

EWall NewsView
File View Help Client updated at 11:49 AM Server updated at 11:49 AM Running for 0 hours Showing 200 stories in 71 cards Using 32 MBytes

11:49 AM

BIO Officer	 SA: 20:59:09 updated.									
TELEMASTER										
NBFC	 SA: 10:13:23 updated.	 SA: 10:13:14 updated.	 SA: 10:13:12 updated.	 SA: 10:13:02 updated.	 SA: 08:22:39 updated.	 SA: 08:22:36 updated.	 SA: 08:22:34 updated.	 SA: 08:22:21 updated.	 SA: 08:22:10 updated.	
LLNL	 SA: 14:55:04 updated.	 SA: 14:54:59 updated.	 SA: 14:54:54 updated.	 SA: 14:53:20 updated.						
Alerts	 SA: 8/31/2005 4:20:51 PM Notes: Link to Pelican	 SA: 8/31/2005 3:57:12 PM Notes: 17 kilometer link	 SA: 8/31/2005 3:53:40 PM Notes: Had Pelican video	 SA: 8/31/2005 3:44:17 PM Notes: Pelican Flight	 SA: 8/31/2005 3:16:10 PM Notes: Pelican showed	 SA: 8/31/2005 9:43:36 AM Notes: Tern passes	 SA: 8/31/2005 9:40:05 AM Notes: LRV1 system	 SA: 8/31/2005 9:37:05 AM Notes: All equipment	 SA: 8/31/2005 9:34:59 AM Notes: Network goes	 SA: 8/31/2005 9:28:10 AM Notes: Network

Downloading from site: <http://www.google.com/> Internet

Start | D:\InetPub\wwwroot\Ne... | Google - Microsoft Intern... | EWall NewsView | 11:50 AM



MIO 06-4 Findings



- SAOFDM-based experimental adaptive on-demand ship-to-shore network provide expected connectivity and level of bandwidth capable of carrying on several video streams and data sharing situational awareness applications. While on the move at speeds 3-5 nm/hour and zigzag maneuvering of the Boarding Vessel trying to chase the Target, the SAOFDM node by using designed self-aligning algorithm applied via the control channel enabled to keep ship-to-shore directional link intact, providing transmission rates up to 5 Mbps.
- Collaborative technology (shared workspaces, SA, video tools) performed well, enabling simultaneous radiation detection and analysis taking place in different geographically distributed locations.
- We observed successful SA integration with early drive-by detection of radioactive source on board of truck in Bavarian Alps (upper right view), by the first time in action Stiletto ship in San Diego (lower right view) and plum detection of the boat in SF Bay (lower left view). For the first time three surface nodes and three overseas command posts (Swedish Navy, Singapore DTSA, and Austria (Salzburg Research) acted together with District 11 (CG), YBI TOC and NPS NOC.

Tactical Network Topology Maritime Interdiction Operation Experiments: Enabling Radiation Awareness and Geographical Distributed Collaboration for Network-Centric Maritime Interdiction Operations



December 5-8, 2006


Arden Dougan

International Maritime Domain Security Symposium

TNT Maritime Interdiction Operation Test Bed




- **Tests cutting edge technology for WMD detection and communications in maritime environment**
 - Communications in harsh environments, between moving ships at sea
 - Netcentric collaboration with global partners
 - Situational Awareness
 - Scenario-based



Drive-By Radiation Detector: ARAM – Adaptable Radiation Area Monitor



- Real time radiation monitoring system
- Spectral data analyzed to quickly provide actionable information
 - flow of commerce not impeded
 - secondary search possibly not necessary



Radiation Sources used in TNT



- **Naturally occurring radioactive materials (NORM)**
 - Radium smoke detector
 - Thorium lantern mantles
 - Calibration Sources
 - Moisture gauge
- **Surrogates**
 - Fiestaware
 - Uranium-238
 - Plutonium surrogate



Surrogate Radiation Sources used to simulate special nuclear materials



- **Plutonium surrogate**
 - Mimics Pu for 1st response detectors
 - DOT Limited and Excepted Quantity for easy transport
 - Field life 2-3 months (renewable)




Explosives detection kit - ELITE



- Colorimetric explosives detection system
- Simple to use swipe test, immediate results, requires little training
- Detects over 25 explosives and their precursors
- Low nanogram detection limits
- Swipes and tests potentially contaminated areas
- Enables easy detection of color change

LITE detects:

- ***nitro aromatics (including TATB)***
- ***nitrate-esters***
- ***nitramines***
- ***picric acid***
- ***inorganic nitrate compounds***



- Small, disposable, one use system
- Easy to use, no training required
- Minimized heating requirements
- Uses a swipe material for improved sampling
- Inexpensive to manufacture
- Detects aromatic, aliphatic, and nitrate explosives
- Utilizes three types of chemical reactions
 - Meisenheimer complex
 - Griess Reagent
 - Zinc reduction of nitrates

- **Radiation Experts**
 - Analyze radiation spectra
 - Determine quality of data
 - Ask for additional information (background spectra, photos)
- **Consequence Analysts**
 - Plume modeling
 - Access to maps, atmospheric modeling, hazardous chemicals database
- **Export Control Experts**
 - Analyze photos of items
- **Emergency Response Coordinators**
 - Advanced planning (direct movement of ships, area vulnerabilities, etc.)

Examples of Radiation Reachback



Radiation Alarm

Who: unknown


What: A truck loaded with an cargo container

When: A time ago (exact time unknown)

Where: Entrance into the Hong Kong seaport


How: Portal monitor

Specials: No neutrons observed, just gamma radiation



Hong Kong Border

There is one item that was added to CalMart's shipment, not normally part of their shipment. This item is sent by George Koncher to the "Citizens Against Nuclear Things."



Plume Modeling

Request worst case scenario for vessel carrying materials listed above.
Current location is 37-47.04N 122-21.28W. winds from SW



The TNT MIO Node in Singapore

Dr Foo Yu Chiann

Project Manager

Defence Science and Technology Agency

Experiment Set-up



- 3 wireless laptops connected via 802.11g to the Internet
- Location:



- The Singapore node is connected to the MIO collaborative environment through a Virtual Private Network (VPN) established between DSTA and NPS.

Video Feeds

Stiletto



Boarding Vessel



TOC



Sweden




Austria



Role for MIO-06

- Singapore played the role of the shipping company that had unknowingly transported the radioactive cargo (via Port of Hong Kong) as part of its shipment
- Provided the shipping manifest of the cargo containers to Port of Hong Kong and MIFC to aid investigations



Role for MIO-07

- Simulated the boarding & search of a vessel that may have a nuclear device
 - Radiation profile and photo of the suspicious item sent via collaborative environment for reachback analysis at LLNL




Figure 9-9. Moisture Gauge

Observations

- The Experiments have provided insights on the possible new operational capabilities that could be achieved with collaborative networking
 - Allow boarding team immediate access to remote expertise during boarding operations
 - Shorten decision-making processes
- Way ahead
 - Explore how such collaborative technologies could be applied for our own operations

Swedish Naval Warfare Centre

Wireless Broadband supporting Maritime
Security in Littoral Waters



FÖRSVARSMAKTEN
SJÖSTRIDSSKOLAN

TNT 07-1

Sweden acted as a counterpart MIO agency, conducted the same operations and exchanged real time information that was analysed by the reachback organisation.

Radiation data (provided by the CBRN centre)

Calculated radiation spread (provided of the CBRN centre)

Live video feed

Observer at SF Bay



TOC



FÖRSVARSMAKTEN
SJÖSTRIDSSKOLAN



TNT 07-1


Result:

Connectivity with all participants

Posted files where analysed

Video feed to/from all participants

VPN connection LAN-to-LAN



SNWC


CBRN centre

BP




The Swedish goal for participating in the TNT experiments


- **Use the experiments as stepstones to be able to conduct the Swedish TNT experiment fall 2008**




Swedish Operational Concept - Maritime Security




Vision for Swedish TNT experiment fall 2008



Wireless Broadband supporting Maritime Security in Littoral Waters



Sensor and communication jacket




Demonstration vest developed in collaboration
with Combitech and the University of Umeå

Sensor and communication jacket

Key features:

- Real time communication of voice, data and sensor information
- Integrated in the combat suit (jacket)
- Adapt sensors to the specific mission/task
- Possibility to supervise physiological status and position of the soldier
- Presentation of alarm and data to the soldier (MMI)

Sensor and communication jacket





Questions?