

12TH ICCRTS

“Adapting C2 to the 21st Century”

Applying Spatial-Temporal Model and Game Theory to Asymmetric Threat Prediction

Assigned Topics: C2 Concepts, Theory, and Policy (Track 1)
Assigned Paper Number: I-063

Mo Wei
Intelligent Automation, Inc.
15400 Calhoun Drive, Suite 400
Rockville, MD 20855
Tel: 301 294 5227
Fax: 301 294 5201
Email: mwei@i-a-i.com

Genshe Chen (Principal point of contact)
Intelligent Automation, Inc.
15400 Calhoun Drive, Suite 400
Rockville, MD 20855
Tel: 301 294 5218 (direct)
Fax: 301 294 5201
Email: gchen@i-a-i.com

Jose B. Cruz, Jr.,
The Ohio State University
205 Dresses Laboratory, 2015 Neil Ave
Columbus, OH 43202
Ph: (614)292-1588
Email: cruz.22@osu.edu

Leonard Haynes
Intelligent Automation, Inc.
15400 Calhoun Drive, Suite 400
Rockville, MD 20855
Tel: 301 294 5200
Fax: 301 294 5201
Email: lhayes@i-a-i.com

Martin Kruger
The Office of Naval Research
Email: Martin_Kruger@onr.navy.mil

Erik Blasch
AFRL/SNAA
Erik.Blasch@WPAFB.AF.MIL

ABSTRACT

Applying Spatial-Temporal Model and Game Theory to Asymmetric Threat Prediction

Accurate predictions of enemy course of actions (ECOAs) are important to the command and control optimization strategies in long-lasting battles. In most Command and Control (C2) applications, the existing techniques, such as spatial-temporal point models for ECOA prediction or Discrete Choice Model (DCM), assume that insurgent attack features/patterns, or at least the trends of behavior patterns, are static. However, this static assumption is no longer true for intelligent and organized insurgents in recent anti-terrorism war. These insurgents sometimes deliberately violate [Rational??] probability theory predictions so they can apply surprise attacks to create more casualties and spread terror.

In this paper, a new game theoretic framework is proposed for modeling dynamic changes of enemy behavior features and predicting future threats. This framework semantically combines several different approaches; namely, a feature prediction game, higher level hybrid data fusion, techniques to provide concrete spatial-temporal modeling and prediction, emotion analysis of adversary rationality and non-rationality, deception identification and modeling, hierarchical knowledge representation, and a non-zero sum stochastic adversarial Markov game. We mainly describe the modification of existing spatial-temporal point models, the fusion of dynamic game feature selection technique and dynamic cohesiveness feature selection technique, the ontology about selected/unselected features, and construction of probability predictions.

1. Introduction

In recent years, many models and techniques have been applied to symmetric adversarial situations such as wargaming or criminal cases with plenty of prediction results. However, asymmetric adversaries faced by U.S. forces become more and more frequent and satisfying predications are still quite difficult to obtain. With a belief that the end justifies the means and not constrained by some basic morality, asymmetric adversaries are often able to engage surprise attacks and successfully disappear before U.S. forces have time to concentrate. Adversaries' ability to learn and adapt their attack patterns and the often unstructured data sources such as ontology information complicate this problem even more. Information that could be used to dynamically identify attack patterns and changes of patterns and predict when-where-how such attacks are most likely to happen will greatly benefit U.S. forces by reducing such surprise attacks to non-surprising events.

To successfully model and predict the adversaries' most likely future courses of actions (COAs), automated processing techniques that identify patterns of COAs and assess possible future threats are critical needs. By dynamically mining and analyzing terrorists and insurgents' preferences and features of actions, U.S. forces can locate dangerous time slots and locations more accurately, prepare counterstrike COAs, or at least mitigate the impact of attacks. At the same time, the new information identified can be automatically fused to the existing system and prediction performance will be improved.

Liu and Brown [11] applied extended discrete choice models to prediction of spatial probability of criminal activity, which produces much higher accuracies than traditional hot-spotting techniques. The fundamental technique utilized by Liu and Brown is to utilize more features in predictions. However, a key limitation of the approach is that the changes in the subjects' decision-making processes are not modeled. This is to say, the subjects' preferences are assumed static.

To solve such problem, a new framework for modeling dynamical changes of features and predicting future threats is proposed. In this framework, techniques that can provide concrete spatial-temporal modeling and prediction, higher level hybrid data fusion, emotion analysis of adversary rationality and non-rationality, deception identification and modeling, hierarchical knowledge representation, and a non-zero sum stochastic adversarial Markov game are combined semantically.

This paper is organized as follows. In Section II, we will summarize the technical approach, which includes problem description, the refinement of spatial-temporal models, the feature ontology, the fusion of different feature selection techniques, and production of probability predictions. Section III describes the experimental results and explanations. Section IV provides conclusions for the paper.

2. Technical Approach

2.1 Framework

The new framework for modeling dynamical changes of features and predicting future threats is shown in Fig. 1.




Fig. 1 Overall System Architecture

Inputs are fed into the data refinement (Level 0) and object assessment (L1) data fusion components. The refined objects and related pedigree information are used by a feature/pattern recognition block to generate primitive prediction of intents of adversary asymmetric threats. If the observed features are already associated with adversary intents, we can easily obtain them by pattern recognition. In some time-critical applications, the primitive prediction can be used before it is refined by relatively time-consuming high-level data fusion.

High-level situation and threat refinement (L2 and L3) data fusion based on a Graphical Markov game model, Hierarchical Entity Aggregation (HEA), Ontology, and Hierarchical Task Network are proposed to refine the primitive prediction generated in stage 1 and capture new unknown features, which will be associated to related L1 results in dynamic learning block. In the dynamic learning model, we take deception reasoning, emotion reasoning, trend/variation identification, and distribution model and calculation into account. Our approach to deception detection is heavily based on the application of pattern recognition techniques to detect and diagnose what we call out-of-normal conditions in the battle space. Out-of-normal conditions are enemy activities that are not deemed as a part of the normal expected evolution of systems. The results of dynamic learning or refinement shall also be used to enhance L2 and L3 data fusion. This adaptive process may be considered as process refinement (Level 4) data fusion.

In this paper, we mainly describe the modification of an existing spatial-temporal point-model, the fusion of dynamic game feature selection technique and dynamic cohesiveness

feature selection technique, the ontology about selected/unselected features, and building of the probability predictions.

2.2 Technical Approaches

A typical scenario (Fig. 2), an urban warfare situation, is a good base on which we can illustrate our dynamic adaptive hierarchical game theoretic approach for modeling and prediction of asymmetric threat learning processes. Satellite pictures and available topographic information provide corresponding data.




Fig. 1: A typical scenario of urban warfare

Deleted: 2

The blue force's mission is to try their best to secure the entire area, including the urban districts, bridges, main roads and blocks, as shown in Fig. 1. The blue ground force consists of several teams of soldiers each with small arms. The red force (terrorist and/or insurgent forces) includes several armed fighters and some asymmetric adversaries hiding in and acting like the white objects (the civilians and vehicles). The red forces are equipped with small arms, mortar, or improved explosive devices (IEDs). We assume there is an asymmetry in total forces between blue side and red side. Blue side has more soldiers than red side. Moreover, the objectives of blue side and red side are asymmetric: the objectives of red side are to kill blue forces, destroy public properties, and cause terror without considering the loss of themselves and the consideration of collateral damage. Usually, they will attack weakly defended or undefended targets and retreat before blue side can concentrate for a counterstrike. However, in this situation, red force may impose some "surprise" attacks that might be chosen deliberately by adversaries to "violate" the predictions based solely on probability theory. In other words, these red forces may change their attack pattern and modify their behavior modes purposefully. Based on this scenario, we estimate the changes in enemy strategies even before such changes have been fully implemented. We give out a primitive estimation of ECOAs by following the pattern/feature recognition model. Based on such prediction, some associated best response strategies of blue side actions can be recommended.

Deleted: Fig. 2

If the primitive prediction is almost correct, there are two possible response strategies for the blue force, according to different goals. If at this time the blue force's purpose is to stop the red forces' actions, the recommended COA of blue force can publicly send out a

message (for example, to focus more soldiers/policemen/ambulance on the suspected areas, to put a news on a newspaper that the red commander will read for sure, and/or some other approaches) to intelligent red forces telling that their actions are in the control of blue side. As a consequence, probably the red forces will refrain from the actions. However, if the purpose of blue force is to set up a trap and catch the insurgents so that in the long run, the total number of attacks will go down; the blue force can only do soldier maneuvers secretly. In other words, in such cases not only the red might do deceptions, the blue might also perform deception actions. If the first guess is not correct (for example, the attack pattern is new and unknown), our game theoretic data fusion module and dynamic learning module will dynamically refine the primitive estimation and update the feature/pattern records.

To fuse possible features/patterns into prediction techniques and game feature prediction and selection, we must first identify different types of surprise attacks and prepare possibly related features. Only after knowing which type of attacks will happen at some next stage with an associated probability, a better resource allocation algorithm is possible. In this scenario, considering information from different resources (such as papers, newspapers, reports from Department of Defense/Navy/Marine/Army/Air Force), the most typical surprise attacks are stated in Table 1.

Table 1 Types of typical attacks

Index	Description
1	Gun Fighter/Mortar/Small Arms
2	IED (Improvised Explosive Device)
3	Kidnap/Hijack
4	Robbery/Stealing
5	“Dirty” bomber/Bio-attacks

Table 1 is based on common sense and numerous reports about the on-going anti-terrorism wars. Such classification is typical and will serve as the initial classification and will not necessarily be fixed. When the war progresses, new types of actions might be added and out-of-date types might be dropped (here out-of-date means for a long time period there is little or no attacks are observed). This is actually a kind of learning/adaptation and will be implemented dynamically via aggregation/clustering partitioning techniques, which combine our hierarchical aggregation technique [1-6] and the work of Milligan, Cooper, Mojena, etc [7-8]. According to different requirements, predictions about the overall probability that an “event” will occur, predictions about the specific probability that an specific attack (such as IED) will occur, and predictions about the relative probabilities that which kind of attack it will be if there will come an attack, can be produced.

In a broad sense, any possible attribute (or feature) might be related to another attribute, which means any attribute can serve as a potential feature or pattern. However, due to real world limits such as computation requirements, usually we can only choose some measurable, available, and “probably” related attributes/hypotheses and put them in a

pool of “raw attributes.” In such raw attribute pool, there might still exist hundreds or even thousands of attributes, which would greatly exceed the computation capability of existing computer systems since each attribute will serve as a dimension and when the number of attributes increases the computation will be daunting. As a result, before ingesting features into the system, a much smaller key feature set should be dynamically selected from the raw attribute pool. A subset of a typical raw attribute pool is stated in Table 2.

Table 2 The attributes

Index	Description
1	Population density per square mile
2	Religion hotness
3	Male people population density per square mile
4	Average family size
5	Young people (from 11 to 29) population density per square mile
6	Average salary per year
7	Average income per person per year
8	Average price of houses
9	Ratio of Children in school
10	Percentage of people who are once involved in drugs
11	Percentage of people who are once involved in crimes
12	Percentage of people who are in debt
13	Average debt per person
14	Average percentage of people who have children
15	Average age
16	Distance to nearest soldier/policemen station
17	Distance to nearest hospital
18	Distance to nearest fire department
19	Distance to nearest highway
20	Distance to nearest church/school/library
21	Distance to nearest park
22	The time difference from last time’s attack
23	Distance to nearest occurred attacks
24	Morale of insurgents
25	Average of wellness of public utilities
26	Distance to nearest lake/river/sea
27	Distance to nearest desert/wood
28	Average expenditure on alcohol beverages, tobacco, and smoking
.....

Note that the 24th feature “morale of insurgents” is not like other features and not easy to measure and quantify, although it is very important in almost every battle. Here according to theories [22-23] about sequential game and social networks by which trust

and social organization can be developed, we choose to adapt the “anger formula” in [9-10] and model morale as follows

$$m(t) = m_0 + \sum_{i=1}^{N(t)} A_i(t_i) e^{-h_i(t-t_i)} \quad (1)$$

Where m_0 is the initial value assigned by the experienced human commanders, $N(t)$ is the total number of attacks occurred since the beginning of battle period until time t , h_i is the decay factor which is different for different types of attacks, and t_i is the average of starting time and ending time of the i th attack. A_i is calculated as

$$A_i(t_i) = a_i \frac{L_i^B - L_i^R}{L_i^R} \frac{R_i^B}{R_i^R} \frac{1}{T_i} \quad (2)$$

Where a_i is a coefficient pre-assigned by experienced commanders for different types of attacks. L_i^B is the loss of Blue for i th attack. R_i^B is the resources applied by Blue for i th attack. Since the superscript R is for Red, L_i^B and R_i^B can be explained accordingly. T_i is the time spent for i th attack. When the time goes on, an occurred attack will have less and less influence on the morale. As a result, and to save the computation resources, when its influence decays to a considerable sufficiently small, we will not calculate it any more in later time stages.

Similarly, Table 2 only serves as the initial raw attribute pool and the raw attribute pool will be dynamically updated, for no one knows exactly what would happen next stage. An abnormal insurgent might even choose to kill only the driver who drives a car with an even number on the plate, while such attribute is usually considered as “minor” and “irrelevant” to terrorism. When the war procedure progresses and when time is allowed, abnormal situations will be identified and studied so that new attributes can be added to the raw attribute pool.

The feature selection procedure is shown in Fig 3, which will automatically select features/preferences/attributes for future event probability prediction. To avoid temporarily removing some known important features from the key feature set, the key feature set consists of two parts: Reserved Feature Subset and Selective Feature Subset. Reserved feature subset is composed of the important features that should not be ignored at any time. Selective feature subset consists of the features automatically selected by the feature search algorithm stated in the “Feature selection” dashed block.




Fig. 3. Feature Selection

The feature selection game module will model the learning/rationalizing procedure of players and produce the probabilities that different features will be selected by players in next stage. For k th feature, its output is denoted as $P(k, t_m)$, which means the predicted probability that the k th feature is applied for attacks by Red at the time t_m . Details of feature selection game can be found in [21]. The SSR (Regression Sum of Squares) module will produce the importance describing a feature's capability to predict the whole existing data set if the prediction is solely based on this feature. The result of SSR calculation will be fused with the result of cohesiveness and EWMA adaptation and produce the probabilities as if the battle data is absolutely non-organizational (or random). Fusing the probabilities for rational situations produced by feature selection game and the non-organizational probabilities produced by SSR, cohesiveness, and EWMA (Exponentially Weighted Moving Average technique) learning/adaptation, the selected features can be prioritized.

For feature selection game module, see [21], of which we will not repeat the details here. In addition, SSR's definition and calculation can be found in every textbook about statistics theory. In the following paragraphs, we will focus on some technical details of our strategies about cohesiveness, EWMA, and fusion techniques.

For cohesiveness calculation, we modified the traditional algorithm so that it is more suitable for feature selection than the traditional approach [11]. Denote the distance

between two events i and j in the feature/attribute space as d_{ij} . The corresponding similarity is calculated as $a_{ij} = 1/(1 + \alpha d_{ij})$, where α is the reciprocal of the average inter-event distance. The term used to measure feature cohesiveness is defined as

$$V_g = \frac{2 \sum_{i=1}^{n-1} \sum_{j=i+1}^n b_{ij}}{n(n-1)} \quad (3)$$

Where b_{ij} can be defined as $b_{ij} = 4a_{ij}(1 - a_{ij})$. n is the number of occurred events. Usually smaller values of V_g implies better capability of the feature set for defining the point pattern. Considering the prior distribution usually deviates from uniform distribution, the adjusted value of V_g , denoted as $V_g^{(k)} = V_g(E_k)/V_g(P_k)$, where $V_g(E_k)$ and $V_g(P_k)$ are the V_g scores for the event feature data set E_k and the prior feature data set P_k respectively, is a more realistic measurement of capability.

Note: we do not simply discard features as Liu and Brown [11] do for “some features that do not exhibit enough variation in the event feature data set“. In [11], Liu and Brown calculate

$$r_k = \frac{\max_{x_{ik}, x_{jk} \in E_k} |x_{ik} - x_{jk}|}{\max_{x_{ik}, x_{jk} \in P_k} |x_{ik} - x_{jk}|} \quad (4)$$

and discard features which has sufficiently small r_k . This is because from the view of linear prediction or a traditional point-model, this feature might not be easy to apply. However, if about one feature, for a long time almost all events are fallen in a very narrow interval, it should be said that this feature has prediction capability since if the feature value is in that interval, the related event-occurring probability will be high otherwise is low. Actually in some sense, such features might be the most useful attributes since event data exhibit strong concentrations about it, which would produce predictions with high confidence.

Our approach is the combination of the game theory approach and the spatial-temporal prediction approach. As a result, it is applicable to apply such kinds of features. For this reason and to save calculation time, we choose to select features according to the overall result of the feature selection block in Fig. 3, thus will not discard a feature/attribute simply according to this r_k rule.

After calculating the V_g values, Exponentially Weighted Moving Average technique (EWMA) can effectively identify the on-going features and learn future trends. Before each step that will calculate the transition density functions, an additional step which will choose the key feature set specifically for this step is added and will produce I_g values for all features in the space corresponding to this time point. Denote the adjusted V_g value calculated at time point t_m for feature index k as $V_g^{(k)}(t_m)$. Define

$$z^{(k)}(t_m) = \lambda \sum_{j=0}^{\infty} V_g^{(k)}(t_j) (1 - \lambda)^j \quad (5)$$

where λ is the exponentially weighting factor. When $z^{(k)}(t_m)$ goes out-of-control lines calculated via probability theory, it implies that there might be a pattern change or feature variation. Via simulations, a set of feasible λ can be determined according to different priorities such as fast detection of trend/variation, reducing false alarms, or optimal balancing. At the start-up stage, $z^{(k)}(t_1)$ is set as $V_s^{(k)}(t_1)$. The reason why we choose EWMA is that EWMA is very insensitive to the common assumption “normality” which is abused by many researchers. A second reason is that EWMA is notably good at supervising small trends and variations under situations with dynamics.

To fuse the results from cohesiveness (adjusted via EWMA) module and the SSR module, we apply the following formula

$$P^2(k, t_m) = SSR(k, t_m) / Z^{(k)}(t_m) \quad (6)$$

The higher the $P^2(k, t_m)$ is, the better the k th feature is for prediction at the time t_m . The character “D” in the fusion cross (right side in Fig. 2) means “division”.

For the fusion between the fused output $P^2(k, t_m)$ and the feature selection game output $P^1(k, t_m)$, we apply the following formula (Eq 6?). The higher $P(k, t_m)$ is, the higher the probability that this feature will be selected by Red in next stage.

$$P(k, t_m) = r \square P^1(k, t_m) + (1-r) \square P^2(k, t_m) \quad (7)$$

Where r is the organizational factor, which can be determined as

$$r = \frac{p_1}{p_1 + p_2} \quad (8)$$

Where p_1 and p_2 are the p-values (calculation of p-values can be found in any statistics textbook) of the following two hypothesis tests (HT), respectively

$$\text{HT1: } \begin{cases} H_0 : \text{ In records past features are selected by Red solely according to game} \\ H_a : \text{ In records past features are not selected by Red solely according to game} \end{cases}$$

$$\text{HT2: } \begin{cases} H_0 : \text{ In records past features are selected by Red absolutely randomly} \\ H_a : \text{ In records past features are not selected by Red absolutely randomly} \end{cases}$$

In other words, r is a coefficient reflecting the extent of the Red players’ abiding by the results of games. This is because when Red consists of many non-organizational agents, there might not be significant planning and coordination between them, which makes the occurrences look like random results. In addition, when the number of agents and events increase, the results will be more and more like a random distribution. This is also the basis of existing traditional probability prediction approaches. However, if Red agents do have strict organization and do have perfect coordination and planning, no matter how large their number is, their attacks will not show enough randomness since each of their attacks is a result of a purposeful selection, not a result of random assignment. In addition, r is also a sign of how closely related the future pattern and existing pattern are. It somewhat likes a derivative factor (which has the capability of “predicting”) in PID (Proportional-Integral-Derivative) controllers, although not exactly the same.

Where $f_j(x; \theta_j)$ is the kernel function and is assumed to be standard Gaussian density function which has the decaying factor as follows when dealing with a difference in feature “distance from the nearest soldier station”

$$\frac{1}{\sqrt{2\pi\sigma_i^2}} e^{-\frac{(D_{ig}-D_m)^2}{2\sigma_i^2}} \quad (10)$$

Where subscript g stands for the map grid index, n is the index of past event, D is the feature value, i is the index of feature, and σ_i is the corresponding bandwidth. There are some reasons for choosing this. The first reason is that people assume that for each feature, there is some values at which an event is “most likely to happen,” thus such values can serve as the center-points. Since an event occurred at a value, this value can be seen as a “mostly-likely-to-happen value” thus should be one center-point. A second reason is that this assumption is simple and easy to handle. For some cases, this is a good approximation. However, Gaussian distribution is for double-sided infinity intervals. For most features, the possible values are one sided, and some times are even finite and the corresponding interval for such values is narrow. In addition, in such finite intervals, the event distribution might be severely asymmetric. In such cases, the Gaussian assumption might not be a good approximation.

Some other research work [11-12] prefers exponential decreasing factor when dealing with differences in feature space (for example, the feature “distance from last attack’s location”), which is stated as follows

$$e^{-\lambda_i |D_{ig}-D_m|} \quad (11)$$

Where g , n , D and i ’s explanation is similar to the Gaussian kernel situation. The reason why such exponential decay factor is chosen is that people believe some assumptions such as “event initiators are in favor of the geographically closer location to start the next event” and “event initiator tend not to wait long before they act again”. This is reasonable in a rough sense, especially when the geographical grids and time grids are rough. However, when number of such grids tends to be larger and larger, the following problems might come: Will an event initiator prefer exactly the same location/time to start the next event? According to common sense, just after an attack occurred at some location, the location might be temporarily “safer” for people because everybody would automatically pay more attention to that site. To ensure safety and the success ratio, event initiators will (at least temporarily) intuitively avoid initiating a new event at exactly the same site. As a result, although a location might be the favorite of insurgents, after an event occurred, some close locations (but not the location at which an event just occurred) might be the most likely locations for events due to the similarity (for example, bad utilities or less policemen, which are part of the reasons why insurgents prefer such districts) between such locations. Locations too close to or too far away from the last event location will both have lower probability that a next event will occur. However, an exponential decay factor will simply discard such consideration.

On the basis of such research work, we choose to model the following double-sided asymmetric exponential kernel functions when facing the considerations discussed above (when not, we still use the traditional two approaches to save computation)

$$f_{ig} = \begin{cases} w_1 e^{-\lambda_1^1 (D_{ig} - (D_m + l_i))}, & \text{when UpperLimit} \geq D_{ig} \geq (D_m + l) \\ w_2 e^{-\lambda_2^2 ((D_m + l_i) - D_{ig})}, & \text{when LowerLimit} \leq D_{ig} \leq (D_m + l) \end{cases} \quad (12)$$

Where w_1 , w_2 , λ_1^1 , λ_2^2 are subject to the following restriction:

$$\int_{LowerLimit}^{UpperLimit} f_{ig} dD_{ig} = 1 \quad (13)$$

l_i is the most likely distance between the location at which an event just occurred and the location at which a next location would happen. The initial value of l_i is assigned by experienced commander and later l_i can be automatically updated according to statistical event data obtained in the process of long-time battle. When the feasible feature interval is wide enough and l_i is not close to the ending points of the interval, to save calculation resources, the UpperLimit and LowerLimit can be set as $+\infty$ and $-\infty$, respectively.

On the basis of the kernel functions, spatial-temporal prediction model can be built and probability predictions can be produced. The predictions the prediction results of Markov game will be fused according to the following formula

$$P_e(c, t_m, x, y) = r \square P_e^1(c, t_m, x, y) + (1 - r) \square P_e^2(c, t_m, x, y) \quad (14)$$

Where $P_e^1(c, t_m, x, y)$ is the prediction result from Markov game, $P_e^2(c, t_m, x, y)$ is the prediction result from spatial-temporal model, c is the even type index, t_m is the time, x and y are the coordinates, r is determined similarly as the feature selection organizational factor. For the Markov gaming details, see [18].

3. Simulations and Experiments

The final comprehensive probability prediction results (probability maps) in a long duration battle (which can be divided to three time-continuous stages) can be demonstrated in following figures (Fig. 5, Fig. 6, Fig. 7), which are based on the scenario described in Fig. 1. Indices of these three probability prediction maps are arranged in time sequence. In this simulation run, the corresponding results of dynamic feature selection is listed in the following Table 3. The feature indices are defined in Table 2. Note that the number of selected features might change according to time thus might not be the same.

Table 3 Feature selection results for different time stages

Fig. 5	Fig. 6	Fig. 7
Feature 1	Feature 1	Feature 1
Feature 7	Feature 7	Feature 7
Feature 16	Feature 16	Feature 23

Feature 23	Feature 24	Feature 24
Feature 24		

In this simulation, we assume feature 1 and feature 2 are in the reserved feature set thus they are always selected. At the second stage feature 23 is temporarily removed thus feature 16 (distance from soldier stations) has a stronger influences on the probability map. This is reflected in Fig. 6 in which soldier stations have larger and clearer “safe boundaries” compared to Fig. 5. Note that feature 24 (the morale of Red) is always selected. Since the Blue Force successfully assigns the soldier/policemen/weapon resources, in Fig. 7 the Red insurgents have lower morale, which is reflected as a general lower probability to have a event for most location. The general scope of the river, which is generally not a favorite site for attacks for various of reasons, is also reflected in all three maps. However, it is still possible to have an attack on the river, which means it might occur on a bridge, a boat, etc.




Fig. 5 Probability Map for stage 1




Fig. 6 Probability Map for stage 2




Fig. 7 Probability Map for stage 3

A simulation about event-occurring is shown in Fig. 8. We took the time scope of the last stage. The five kinds of marks in Fig. 8 correspond to different types of attacks, which is stated in the following Table 4.

Table 4 Symbols for attack types

Index	Description	Symbol
1	Gun Fighter/Mortar/Small Arms	Blue star
2	IED (Improvised Explosive Device)	Green circle
3	Kidnap/Hijack	Red Plus
4	Robbery/Stealing	Cyan square
5	“Dirty” bomber/Bio-attacks	Yellow triangle (down)




Fig. 8 The event occurrences illustration

4. Conclusions

In this paper, we refined existing spatial-temporal point-model prediction techniques, combine them with dynamic feature selection game model, and produce dynamic probability predictions. The features are stored in a language-independent ontology. We modeled and studied the learning/adaptation of behavior features and changing emotional factors in hostile environments. The advantages of our proposed algorithm and architecture are demonstrated in a typical asymmetric urban warfare scenario.

Acknowledgements

This research was supported by the US Navy under contract number N00014-06-M-0237. The views and conclusions contained herein are those of the authors and should not be interpreted as necessarily representing the official policies or endorsements, either expressed or implied, of the Navy.

References

- [1] Genshe Chen and Jose B. Cruz, Jr., "Genetic Algorithm for Task Allocation in UAV Cooperative Control," *AIAA Conference on Guidance, Navigation, and Control*, August 2003.
- [2] Jose Cruz, Genshe Chen, Denis Garagic, Xiaohuan Tan, Dongxu Li, Dan Shen, Mo Wei, Xu Wang, "Team Dynamics and Tactics for Mission Planning," *Proceedings, IEEE Conference on Decision and Control*, December 2003.
- [3] V.R. Saksena and J.B. Cruz, Jr., "An Approach to Decentralized Control of Large Scale Systems Using Aggregation Methods," *Proc. 23rd IEEE Conf. on Decision and Control*, Las Vegas NV, December 1984, pp. 198-201 (Invited).
- [4] V.R. Saksena and J.B. Cruz, Jr., "Optimal and Near-Optimal Incentive Strategies in the Hierarchical Control of Markov Chains," *Proc. 1983 American Control Conf., San Francisco CA*, June 1983, pp.1103-1108 (Invited).
- [5] J.B. Cruz, Jr., "Survey of Leader-Follower Concepts in Hierarchical Decision-Making," *Proc. Fourth International Conf. on Analysis and Optimization of Systems*, Le Chesnay, France, December 1980, pp. 384-396 (Invited).
- [6] Jose B. Cruz, Jr., Genshe Chen, Dongxu Li, and Denis Garagic, "Target Selection in UAV Cooperative Control Under Uncertain Environment: Genetic Algorithm Approach," *WSEAS Transactions on Circuits and Systems*, Vol. 3, Issue 3, pp. 542-553, May 2004.
- [7] Milligan, G. J., & Cooper, M. C., "An examination of procedures for determining the number of clusters in a data set," *Psychometrika*, 1985.
- [8] Mojena, R., "Hierarchical grouping methods and stopping rules: An evaluation," *Computer Journal*, 1977.
- [9] Mo Wei, Genshe Chen, Jose B. Cruz, Jr., Leonard S. Haynes, Martin Kruger, Erik Blasch, "Game Theoretic Modeling of Military Air Operations with Retaliatory Civilians," *IEEE Aerospace Conference 2007*, Accepted, to be presented at Big Sky, MT, March 2007.
- [10] Mo Wei, Genshe Chen, Jose B. Cruz, Jr., Leonard Hayes and Martin Kruger, "Battlefield Modeling of Partially Emotional Civilians," *Decision and Support Systems*, Accepted in 2006.
- [11] Liu, H. and Brown, D.E., "Criminal incident prediction using a point-pattern-based density model", *International Journal of Forecasting*, 2003.
- [12] Fiksel, T., "Simple spatial-temporal models for sequences of geological events", *Elektronische Informationsverarbeitung* (1984), und *Kybernetik*, 20, 480-487, 1984.
- [13] Block, C., "STAC hot-spot areas: A statistical tool for law enforcement decisions", In Block, C. R., Dabdoub, M., & Fregly, S. (Eds.), *Crime analysis through computer mapping*, Washington, DC: Police Executive Research Forum, p. 20036, 1995.
- [14] J efferis, E., "A multi-method exploration of crime hot spots", *Presentation at the Annual Meeting of the Academy of Criminal Justice Sciences*, Albuquerque , NM , March 10- 14, 1998.

- [15] Levine, N., “‘Hot Spot’ analysis using CrimeStat kernel density interpolation”, *Presentation at the Annual Meeting of the Academy of Criminal Justice Sciences*, Albuquerque, NM, March 10–14, 1998.
- [16] Amir, M., *Patterns in forcible rape*, Chicago, University of Chicago Press, 1971.
- [17] Baldwin, J. and Bottoms, A., *The urban criminal : A study in Sheffield*, London, Tavistock Publications, 1976.
- [18] Genshe Chen, “A Game Theoretic Approach for Threat Prediction and Situation Awareness”, *available at http://www.navysbir.com/05_s/31.htm*.
- [19] Donald Brown, Jason Dalton, and Heidi Hoyle, *Spatial forecast methods for terrorist events in urban environments*, Springer-Verlag Berlin Heidelberg, 2004.
- [20] Kutner, Nachtsheim, and Neter, *Applied Linear Regression Models*, 4th Edition.
- [21] Mo Wei, Genshe Chen, Jose B. Cruz, Jr., Leonard Hayes, and Martin Kruger, "Game Theoretic Feature Selection in Crime Prediction," *SPIE Defense and Security Symposium*, Submitted in 2006.
- [22] Kathleen M. Carley, "OrgAhead: A Simulation of Organizational Adaptation," *available at <http://www.casos.cs.cmu.edu:80/projects/OrgAhead/index.html>*.
- [23] David M. Kreps and Robert Wilson, “Sequential equilibria,” *Econometrica*, 50(4):863–894, 1982.